# Non Sibi High School

## Andover's Chem 300: Accelerated/Honors Chemistry

Chapter 19, Review Quiz 1

#### 1

Sketch a completely-labeled reaction energy profile (reaction progress diagram) for an exothermic reaction. Indicate any effects a catalyst would have the sketch.

# 2

The following mechanism has been proposed for a reaction:

Step 1: 
$$NO_2 + NO_2 \longrightarrow NO_3 + NO$$

Step 2: 
$$NO_3 + CO \longrightarrow NO_2 + CO_2$$

Identify the intermediate and write the overall balanced equation for the reaction.

### 3

If the rate of formation of hydrogen gas in the reaction  $4PH_3(g) \longrightarrow 6H_2(g) + P_4(g)$  is found to be 0.0066 M·s<sup>-1</sup>, what is the rate of disappearance of PH<sub>3</sub> gas?

## 4

For the reaction  $\frac{1}{2}Cl_2(g) + NO(g) \longrightarrow NOCl(g)$ , the following data were collected:

Experiment	$[Cl_2](M)$	[NO] (M)	Initial Rate $(M \cdot min^{-1})$
1	0.12	0.12	0.0025
2	0.24	0.12	0.0050
3	0.48	0.48	0.16

Determine the overall order of the reaction, write the rate law, and calculate the value of k with units.

5

Concentration versus time data were collected for the reaction  $2N_2O_5(g) \longrightarrow O_2(g) + 4NO_2(g)$ . Graphs of  $[N_2O_5]_t$  v. t,  $\ln[N_2O_5]_t$  v. t, and  $1/[N_2O_5]_t$  v. t were plotted, and the data points on the graph of  $\ln[N_2O_5]_t$  v. t were found to fit a straight line most closely. Is the reaction zero-order, first-order, or second-order?



 $\frac{\text{Creative Commons Attribution-NonCommercial-NoDerivs 3.0 Unported License}}{\text{Contact: kcardozo@andover.edu}}$